
-XX IN THE ENDING OF THE CABLE PART NUMBER IS CALLING OUT THE LENGTH OF THE ASSEMBLY FROM CENTER TO MATING FLANGE OF CONNECTORS. EXAMPLES SHOWN BELOW:

LTI P/N: CB1.13-IPX-SARF3OGTX9-6IN (6 INCHES) CB1.13-IPX-SARF3OGTX9-10IN (10 INCHES)

	REVISIONS									
REV	ECR	DESCRIPTION	DRAWN	DATE						
1		PRODUCTION RELEASE	M. LARSEN	01/17/2022						



ITEM	PART NUMBER	Α	QTY
1	IPXLF11GBP-113	IPX (MHF1), RHT ANGLE, JACK, CABLE CRIMP (I-PEX 20278-112R-13)	1
2	SASRF13ROGT-113-X9	SMA, STRAIGHT, REV POL JACK, CABLE CRIMP 1.13, REAR BULKHD MNT, O-RING, IP-67	1
3	1.13 MICRO COAX	CABLE, 1.13 MICRO COAX, BLACK	AR
4	1635F-1/8"	.125 (1/8) DIA, .75 LENGTH, GREEN	1

SCALE: NONE

IPX® AND MHF® ARE REGISTERED TRADEMARKS OF I-PEX CO., LTD. CORPORATION

"D" FLAT

DO NOT SCALE DRAWING				Lighthorse Technologies		
TOLERANCES UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN			San Diego, CA WWW.RFCONNECTOR.COM			
MILLIMETERS $X = \pm 0.5$ $X.X = +0.25$		(h) ==-1	TITLE	: CABLE ASSEMBLY, IPX (MHF1), R/A JA	CK,	
$X.X = \pm 0.25$ $X.XX = \pm 0.13$ $ANGLE = \pm 30'$ THIRD ANGL PROJECTIO			CRIMP TO SMA, RP JACK, REAR BLKHD MNT,			
CUSTOMER APPROVAL			O-RING, IP-67, CRIMP USING 1.13 MICRO COAX			
SIGN / DATE:			SIZE	PART/DWG. NO:	RE	
ENG APPR.	P. BURDGE	01/19/2022	_	OD4 40 IDV OADEOOTVO IN		
CHECKED	M HELD	01/19/2022	R	CB1.13-IPX-SARF3OGTX9-xxIN	Δ	

DRAWN

M. LARSEN

-IPX-SARF3OGTX9-xxIN

SHEET 1 OF 1 SCALE: 2:1 FILE NAME

PROPRIETARY AND CONFIDENTIAL

UNLESS OTHERWISE SPECIFIED: THIS DOCUMENT CONTAINS LIGHTHORSE TECHNOLOGIES INFORMATION, REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LIGHTHORSE TECHNOLOGIES. LIGHTHORSE TECHNOLOGIES RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES 2011, ALL RIGHTS RESERVED.



3

01/17/2022

REV